

LBGB SERIES

LBGBXL45

45KVA

key features

tough & reliable

built specifically for harsh conditions
japanese manufacturing excellence
electro plated finish
40 degree ambient

efficient & clean

fuel efficient Japanese engines
high load start tolerance
high light load tolerance
dual voltage/dual frequency


operator friendly

world class noise suppression
single side engine maintenance
easy access to cooling system
simple control system

safe and compact

fully as compliant
small footprint
centre lift
fork pocket skid

bioready, quiet,
efficient &
compact



Looking for more than just a regular rental company, come join the bug squad.

For more information, visit our website!

www.ladybugrentz.com.au/biodiesel

perspective,
insightful,&
observant.




equipment specification

BIODIESEL

LBGB45XL

37KVA/45KVA


RENTAL SPEC



generator specifications	
voltage (V)	415
frequency (HZ)	50
dimensions (mm)	2330I x 960W x 1380H
dry weight (kg)	1094
operating weight (kg)	1204
fuel tank capacity (L)	100L diesel fuel
no. of phases	3 phase, 4 wire
sound level (dBA)	57

engine specifications	
make	kubota v3800d
cylinders	4 cylinders
related outputs PS (kw)	51.7 (38.0)
fuel consumption (L/hr)	6.4 (75% load)
battery capacity	80d26r
electrical specifications	
power factor	80%
exciting method	brushless (A.V.R)


construction,
mining &
offshore




1300 911 128

ladybugrentz.com.au





all fuel optimised units are
ultra heavy duty, silent and
simple to use



☎ 1300 911 128