

LBGF SERIES

LBGFXL150

150KVA

key features

tough & reliable

built specifically for harsh conditions
japanese manufacturing excellence
electro plated finish
40 degree ambient

efficient & clean

fuel efficient Japanese engines
high load start tolerance
high light load tolerance
dual voltage/dual frequency


operator friendly

world class noise suppression
single side engine maintenance
easy access to cooling system
simple control system

safe and compact

fully as compliant
small footprint
centre lift
fork pocket skid

optimised, quiet,
efficient &
compact



Looking for more than just a regular rental company, come join the bug squad.

For more information, visit our website!

www.ladybugrentz.com.au/fueloptimised

perspective,
insightful,&
observant.



equipment specification


FUEL OPTIMISED
LBGF150XL
125KVA/150KVA
RENTAL SPEC




generator specifications	
voltage (V)	415
frequency (HZ)	50
dimensions (mm)	3510L x 1285W x 1641H
dry weight (kg)	2840
operating weight (kg)	3090
fuel tank capacity (L)	250L diesel fuel
no. of phases	3 phase, 4 wire
sound level (dBA)	63

engine specifications	
make	hino j08cdud
cylinders	6 cylinders
related outputs PS (kw)	160 (118)
fuel consumption (L/hr)	19.4 (75% load)
battery capacity	95d31r
electrical specifications	
power factor	80%
exciting method	brushless (A.V.R)





all fuel optimised units are
ultra heavy duty, silent and
simple to use



☎ 1300 911 128