

LBGF SERIES

LBGFXL60

60KVA

key features

tough & reliable

built specifically for harsh conditions
japanese manufacturing excellence
electro plated finish
40 degree ambient

efficient & clean

fuel efficient Japanese engines
high load start tolerance
high light load tolerance
dual voltage/dual frequency


operator friendly

world class noise suppression
single side engine maintenance
easy access to cooling system
simple control system

safe and compact

fully as compliant
small footprint
centre lift
fork pocket skid

optimised, quiet,
efficient &
compact



Looking for more than just a regular rental company, come join the bug squad.

For more information, visit our website!

www.ladybugrentz.com.au/fueloptimised

perspective,
insightful,&
observant.



equipment specification


FUEL OPTIMISED
LBGF60XL
50KVA/60KVA
RENTAL SPEC



generator specifications	
voltage (V)	415
frequency (HZ)	50
dimensions (mm)	2550L x 960W x 1380H
dry weight (kg)	1323
operating weight (kg)	1463
fuel tank capacity (L)	130L diesel fuel
no. of phases	3 phase, 4 wire
sound level (dBA)	59

engine specifications	
make	isuzu ddd4bg1
cylinders	4 cylinders
related outputs PS (kw)	65.4 (48.1)
fuel consumption (L/hr)	8.6 (75% load)
battery capacity	80d26r
electrical specifications	
power factor	80%
exciting method	brushless (A.V.R)


construction,
mining &
offshore




1300 911 128

ladybugrentz.com.au





all fuel optimised units are
ultra heavy duty, silent and
simple to use



📞 1300 911 128