#### LBGB SERIES

# LBGBXL13

#### 13KVA

## key features

#### tough & reliable

built specifically for harsh conditions japanese manufacturing excellence electro plated finish 40 degree ambient

#### efficient & clean

fuel efficient Japanese engines high load start tolerance high light load tolerance dual voltage/dual frequency


#### operator friendly

world class noise suppression single side engine maintenance easy access to cooling system simple control system

#### safe and compact

fully as compliant small footprint centre lift fork pocket skid

### bioready, quiet, efficient & compact





Looking for more than just a regular rental company, come join the bug squad.



## equipment specification

BIODIESEL


## LBGB13XL

10.5KVA/13KVA

RENTAL SPEC







generator specifications		
voltage (V)	415	
frequency (HZ)	50	
dimensions (mm)	1940L × 750W × 1100H	
dry weight (kg)	659	
operating weight (kg)	720	
fuel tank capacity (L)	58L diesel fuel	
no. of phases	3 phase, 4 wire	
sound level (dBA)	56	

engine specifications	
make	kubota d1503
cylinders	3 cylinders
related outputs PS (kw)	15.6 (11.5)
fuel consumption (L/hr)	2.4 (75% load)
battery capacity	80d26r
electrical specifications	
power factor	80%
exciting method	brushless (A.V.R)
















## all fuel optimised units are ultra heavy duty, silent and simple to use



**§**1300 911 128